



ANGULO LADOS IGUALES
Pesos teóricos




PULGADA		MILIMETRO		PESO
espesor	ancho	espesor	ancho	kg/m
a	b	a	b	
0.109	1	2.7	25.4	1.010
	1 1/4		31.7	1.300
	1 1/2		38.1	1.580
0.113	1 1/2	2.87	38.1	1.650
0.123	1 1/2	3.124	38.1	1.786
1/8	3/4	3.2	19.1	0.880
	1		25.4	1.190
	1 1/4		31.7	1.500
	1 1/2		38.1	1.830
	1 3/4		44.5	2.142
0.137	1 1/2	3.4798	38.1	1.979
	2		50.8	2.679
0.143	1 3/4	3.632	44.5	2.426
	2		50.8	2.790
0.155	1 1/2	3.937	38.1	2.232
	1 3/4		44.5	2.619
	2		50.8	3.021
5/32	1 1/2	3.96	38.1	2.260
	1 3/4		44.5	2.634
	2		50.8	3.066
	2 1/2		63.5	3.790
0.163	2	4.14	50.8	3.155
0.170	1 1/2	4.318	38.1	2.436
	1 3/4		44.5	2.857
3/16	1	4.8	25.4	1.730
	1 1/4		31.7	2.200
	1 1/2		38.1	2.680
	1 3/4		44.5	3.150
	2		50.8	3.630
	2 1/2		63.5	4.600
0.205	2	5.207	50.8	3.936
	2 1/2		63.5	5.090
	3		76.2	6.150
0.210	4	5.3	101.6	8.280
	2 1/2		63.5	5.140
0.212	2 1/2	5.4	63.5	5.560
	3		76.2	6.710
	4		101.6	9.040
1/4	1	6.3	25.4	2.220
	1 1/4		31.7	2.860
	1 1/2		38.1	3.490

ANGULO LADOS IGUALES
Pesos teóricos



PULGADA		MILIMETRO		PESO
espesor	ancho	espesor	ancho	kg/m
1/4	1 3/4	6.3	44.5	4.125
	2		50.8	4.750
	2 1/2		63.5	6.100
	3		76.2	7.290
	3 1/2		88.9	8.630
	4		101.6	9.820
5/16	2	7.9	50.8	5.840
	2 1/2		63.5	7.440
	3		76.2	9.080
	3 1/2		88.9	10.710
	4		101.6	12.200
	5		127.0	15.330
0.315	4.72	8	120.0	14.700
3/8	2	9.5	50.8	6.990
	2 1/2		63.5	8.790
	3		76.2	10.720
	3 1/2		88.9	12.650
	4		101.6	14.580
	5		127.0	18.300
0.394	4.72	10	120.0	18.200
7/16	3 1/2	11.1	88.9	14.580
	4		101.6	16.816
	4.72		120.0	19.900
	5		127.0	19.300
	6		152.4	25.596
0.472	4.72	12	120.0	21.600
1/2	2 1/2	12.7	63.5	12.030
	3		76.2	13.990
	3 1/2		88.9	16.517
	4		101.6	19.050
	4.72		120.0	23.300
	5		127.0	24.110
	6		152.4	29.170
	8		203.2	39.290
9/16	6	14.3	152.4	32.590
	8		203.2	44.050
5/8	4	15.9	101.6	23.630
	6		152.4	36.100
	8		203.2	48.400
3/4	4	19.1	101.6	27.530
	6		152.4	42.710
	8		203.2	58.080
7/8	6	22.2	152.4	49.260

ANGULO LADOS IGUALES
Pesos teóricos



PULGADA		MILIMETRO		PESO
espesor	ancho	espesor	ancho	kg/m
7/8	8	22.2	203.2	66.970
1	6	25.4	152.4	55.660
	8		203.2	75.900
1 1/8	8	28.6	203.2	84.680